## Abstract Submitted to the International Conference on Strongly Correlated Electron Systems University of Michigan, Ann Arbor August 6-10, 2001

## Short-range correlations in spin liquid in presence of Kondo scattering \*

M.Kiselev<sup>1</sup>, K.Kikoin<sup>2</sup>, R.Oppermann<sup>1</sup>

- <sup>1</sup> Institut für Theoretische Physik, Universität Würzburg, D-97074 Würzburg, Germany
- <sup>2</sup> Department of Physics, Ben-Gurion University, Beer-Sheva 84 105, Israel

The crossover from high-temperature paramagnetic state to low-temperature spin liquid state in Kondo lattice is studied by means of the real-time semi-fermionic Schwinger-Keldysh formalism †. The spectrum of Bose excitations in the uniform resonating valence bond (RVB) spin-liquid in the presence of strong Kondo scattering is calculated. It is shown that the one-site Kondo scattering suppresses the antiferromagnetic correlations in the Kondo lattice and stabilizes the spin liquid short range order. The influence of Kondo-renormalization on the spin diffusion coefficient is considered. We discuss also the possibility of spin-liquid - spin-glass transition in disordered AFM where disorder is associated with phase decoherence of the RVB correlator.

<sup>\*</sup>This work is supported by SFB-410 project.

<sup>&</sup>lt;sup>†</sup>M.Kiselev and R.Oppermann. Phys.Rev.Lett. **85**, 5631 (2000)